




THE NEXT EVOLUTION OF KREG® TOOLS

The newest joining and cutting solutions





4

POCKET-HOLE JOINERY

POCKET-HOLE JIGS
page 4-11

POCKET-HOLE JIG ACCESSORIES
pages 12-13

POCKET-HOLE SCREWS
pages 14-15



16

CUTTING

CIRCULAR SAW CUTTING
pages 16-21

BAND SAW CUTTING
page 22

MITRE SAW CUTTING
pages 23-25



26

CLAMPING

CLAMPS
pages 26-31

CLAMP ACCESSORIES
pages 32-33

CONTENTS



34

ROUTING

ROUTING SYSTEMS
pages 34–37

ROUTING SYSTEM ACCESSORIES
pages 38–40



41

**HARDWARE
INSTALLATION**

DECK JIG
page 41

CABINET & SHELF JIGS
page 42–45

MEASURING
page 46



47

WORKSPACE

TRACK HORSE
page 47

MOBILE PROJECT CENTER
pages 48–49

BENCH SYSTEMS
pages 50–51

POCKET-HOLE JIG 720PRO

The Pocket-Hole Jig 720PRO is the most advanced jig yet from Kreg® with features that make project building incredibly efficient. One-motion clamping with Automaxx™ automatically adjusts to the exact material thickness and clamps seamlessly.

Included with the 720PRO are the Kreg® Docking Station material support wings with a repeatable stop, as well as a Pocket-Hole Jig Clamp. Use the Pocket-Hole Jig Clamp to secure the jig to a workstation, while material support wings add support when drilling into large pieces. Best of all, the wings fold up and stow away easily when not in use. These premium additions provide more storage, more material support, and more stability.

With the Pocket-Hole Jig 720PRO, you get the Kreg Docking Station material support wings with a repeatable stop, a Pocket-Hole Jig Clamp, 160 Kreg pocket-hole screws, and a free project plan so you can start building right away.



NEW
★ ★ ★

ITEM# KR-KPHJ720PRO

DRILL GUIDE
LIFETIME
WARRANTY

AUTOMAXX

INCLUDES

- Docking Station material support wings, repeatable stop, and Pocket-Hole Jig Clamp
- 160 Kreg® pocket-hole screws and project plan
- Easy-set drill bit (6" [152 mm]) and driver bits (3" [76 mm] and 6" [152 mm])
- Material thickness gauge
- Dust collection attachment

BUILD POCKET-HOLE PROJECTS FASTER THAN EVER



FEATURES



GripMaxx™ anti-slip holds material in place for worry-free clamping



Multi-featured jig for creating pocket-hole joints in materials from 13 mm to 38 mm thick



Material support wings add more storage and enhanced support for large pieces



720PRO also includes the Pocket-Hole Jig Clamp to secure the jig to a workstation



On-board storage keeps accessories close at hand

Dual-action clamping with Automaxx® automatically clamps and adjusts to the proper material thickness

POCKET-HOLE JIG 720

The Pocket-Hole Jig 720 was designed for efficient project building with advanced features like one-motion Automaxx™ clamping and automatic material thickness setting for pieces from 1/2" to 1 1/2" thick (13 mm to 38 mm).

With the Pocket-Hole Jig 720, you get 60 Kreg pocket-hole screws and a free project plan so you can start building right away.



On-board storage keeps accessories close at hand



GripMaxx™ anti-slip holds material in place for worry-free clamping

NEW
★ ★ ★



ITEM# KR-KPHJ720

INCLUDES

- 60 Kreg® pocket-hole screws and project plan
- Easy-set drill bit (6" [152 mm]) and driver bits (3" [76 mm] and 6" [152 mm])
- Material thickness gauge

NOTE: See pages 12–13 for accessories

POCKET-HOLE JIG 520PRO

The Pocket-Hole Jig 520PRO is the most versatile jig yet from Kreg® with features that adapt to different project-building needs. VersaGrip™ makes clamping intuitive – just squeeze the handle until the material is clamped securely. It also rotates 360° for convenient use of the jig in multiple orientations.

Preset material thickness settings make setup fast, and an adjustable stop offers repeatability when drilling pocket holes in multiple pieces of similar thickness.

The Pocket-Hole Jig 520PRO includes a 51 mm face clamp, 100 Kreg pocket-hole screws, and a free project plan.



ITEM# KR-KPHJ520PRO

DRILL GUIDE
LIFETIME
WARRANTY

INCLUDES

- 51 mm Kreg® classic face clamp
- 100 Kreg® pocket-hole screws and project plan
- Easy-set drill bit and driver bit (6" [152 mm])
- Material thickness gauge

BUILD POCKET-HOLE PROJECTS ANYTIME, ANYWHERE



FEATURES



Versatile jig for creating pocket-hole joints in materials from 13 to 38 mm thick



GripMaxx™ anti-slip holds material in place to prevent shift while drilling



Intuitive clamping with VersaGrip™ and a 360°-rotating handle



Durable construction with steel-reinforced spine and lifetime drill guide warranty



Sets up fast with easy-to-use material thickness settings



Includes a 2" (51 mm) classic face clamp

OPTIONAL DOCKING STATION

Expand the capability of the Kreg® Pocket-Hole Jigs 520PRO and 720 with the Docking Station – complete with material support wings, added storage, and a Pocket-Hole Jig Clamp to secure the jig to a workstation. All these together create the ultimate benchtop joining station for the Pocket-Hole Jigs 520PRO and 720.

FEATURES

- Create a premium benchtop joining station by docking the 520PRO jig into the base
- Get enhanced support for long pieces with repositionable material support wings
- Material support wings also provide additional storage for your bits, screws, and more
- Adjustable Stop adds repeatability and speed to pocket-hole positioning
- Includes the Pocket-Hole Jig Clamp to secure your jig to a work surface
- Also works with Pocket-Hole Jig 720, upgrading it to 720PRO
- Material support wings fold up when not in use

INCLUDES

- Material Support Wings
- Adjustable Stop
- Pocket-Hole Jig Clamp (KR-KPHA760)
- Dock Connection Adapters for KR-KPHJ720
- Base Connection for KR-KPHJ520PRO



NEW
★ ★ ★

ITEM# KR-KPHA750

NOTE: See pages 12–13 for accessories

POCKET-HOLE JIG 320

The Kreg® Pocket-Hole Jig 320 makes it easy to build wood projects — whether you're building your first DIY project, or you've been working with wood for years. The Pocket-Hole Jig 320 uses a simple, easy-to-understand setup process that gives you the versatility you need to build with boards and plywood of any thickness between 13 mm and 38 mm. The 320 features two drill guides, a removable spacer, and convenient material-thickness stops.

The included material thickness gauge and easy-set drill bit make setup simple, while the convenient clamp adapter and GripMaxx™ anti-slip base hold the jig precisely in position while you drill perfectly positioned pocket holes every time. The jig and its included components store in a durable, compact case that even has space to store Kreg Pocket-Hole Screws — with 40 sample screws included. Durable construction and hardened-steel guides with a lifetime warranty ensure that the Kreg Pocket-Hole Jig 320 will deliver the years of project-building and home-repair satisfaction

ITEM# KR-KPHJ320



**DRILL GUIDE
LIFETIME
WARRANTY**

SPECS

- Works with materials from 13 to 38 mm-thick; adjustable stops at 13, 19, 38 mm
- Two Hardened Steel Drill Guides 19 mm, 38 mm, pocket-hole spacing, unlimited when guides separated
- Compatible with 300-Series accessories

INCLUDES

- | | |
|--|----------------------------------|
| (2) Drill Guides with Material Thickness Stops | (1) Thickness Gauge/Hex Wrench |
| (1) Drill Guide Spacer | (1) 6" (152 mm) Square-Drive Bit |
| (1) Clamp Adapter | (1) Carrying Case |
| (1) Easy-Set Drill Bit and Stop Collar | (40) Sample Screws |

THE COMPLETE POCKET-HOLE KIT FOR BUILDING DIY WOOD PROJECTS



FEATURES



Twist-apart design
Drill Guides and Spacer twist and lock to make it easy to set pocket-hole spacing.



Easy-set drill bit
Engraved drill bit markings and stop collar with sight window make drill bit setup simple.



Clamp adapter
Convenient attachment for simple and quick clamping using Kreg® and other clamps.



Material thickness gauge / hex wrench
Helps set correct drill-bit depth, doubles as a hex wrench.

POCKET-HOLE JIG 310

ITEM# KR-KPHJ310

The Kreg® Pocket-Hole Jig 310 makes it easy to build wood projects — whether you're building your first DIY project, or you've been working with wood for years. The Pocket-Hole Jig 310 uses a simple, easy-to-understand setup process that gives you the versatility you need to build with boards and plywood of any thickness between 13 mm and 38 mm. It features a hardened-steel drill guide and a convenient material-thickness stop.

The included material thickness gauge and easy-set drill bit make setup simple, and the GripMaxx™ anti-slip base holds the jig precisely in position while you drill perfectly positioned pocket holes every time. Durable construction and a lifetime drill-guide warranty ensure that the Kreg Pocket-Hole Jig 310 will deliver the years of project-building and home-repair satisfaction and value you expect from the #1 pocket-hole brand — Kreg®.



**DRILL GUIDE
LIFETIME
WARRANTY**

INCLUDES

- (1) Drill Guide with Material Thickness Stops
- (1) Easy-Set Drill Bit and Stop Collar
- (1) Material Thickness Gauge/Hex Wrench
- (1) 6" (152 mm) Square-Drive Bit

SPECS

- Works with materials from 13-38 mm-thick; adjustable stops at 13, 19, 38 mm
- Single Hardened Steel Drill Guide
- Compatible with 300-Series accessories

THE VERSATILE, SIMPLE, DURABLE POCKET-HOLE JIG FOR BUILDING DIY WOOD PROJECTS



FEATURES



Expandable design

Multiple 310s can be used together for fast, easy drilling of multiple pocket holes.



Easy-set drill bit

Engraved bit markings and stop collar with sight window make bit setup simple.



Material thickness gauge / hex wrench

Helps set correct drill-bit depth, doubles as a hex wrench.

NOTE: See pages 12–13 for accessories and page 31 for clamping options.

POCKET-HOLE JIG HD

Bigger pocket-hole screws for bigger projects. The Kreg Jig® HD delivers the strength and confidence you need to BUILD BIG! It's perfect for 4x2 and larger timber.

The Kreg Jig® HD lets you create joints in 38 mm and thicker materials that are an amazing 50% stronger than traditional Kreg Joints™. The HD can be clamped to the workpiece using a Kreg Wood Project Clamp or Face Clamp. Or you can use it in your Kreg Pocket-Hole Jig K5, K4, or K3 in place of the standard drill guide block.

INCLUDES

- (1) HD Drill Guide
- (1) Stop Block
- (1) HD Stepped Drill Bit
- (1) HD Driver Bit
- (1) Stop Collar
- (1) Hex Wrench
- (1) Sample Kreg® HD Screw Set
- (1) Owner's Manual



SPECS

- Glass-filled nylon construction
- 2 hardened steel drill guides
- Drill guide spacing: 36 mm

NOTE: Be sure to check with your local building code authority before using the HD to construct load-bearing objects, such as interior walls or deck railings. Building codes differ from area to area. Please refer to the applications in the owner's manual or kregtool.com for more information.



FOREMAN

The Foreman Pocket-Hole Machine offers all of the features and capabilities of our professional-grade machines in a tool that's versatile, portable, and extremely affordable. From contractors and cabinet shops to dedicated hobbyists, the Foreman DB210 is perfect for anyone who is serious about pocket-hole joinery. In no time, you will be building with twice the speed and half the effort of a standard pocket-hole jig.

With the Foreman, just squeeze the trigger and pull the handle to start the motor, clamp your workpiece, and drill a perfect pocket hole. The adjustable fence positions the workpiece for precise pocket-hole depth, and adjustable stops provide repeatable accuracy. Built-in dust collection minimises the mess and speeds the drilling process.

A 230-volt motor enables fast drilling, and a quick-change chuck allows for fast, tool-free bit changes. Plus, the Foreman creates all three types of Kreg® pocket holes: Standard, Micro-Pocket™ and HD (Heavy-Duty). Micro and HD bits and bushings sold separately.

INCLUDES

- | | |
|--|--------------------------------|
| (1) Foreman Pocket-Hole Machine | (1) Drill Bit Setting Block |
| (1) Adjustable Fence with Spring-Loaded Stop | (1) Hardened-Steel Drill Guide |
| (1) Dust-Collection Attachment | (1) Owner's Manual |
| (1) Kreg Stepped Pocket-Hole Bit | |



ITEM# KR-DB210



SPECS

- 230-volt motor
- Accepts Kreg Standard, Micro & HD bits
- 1 second cycle time
- 38 mm material clamping capacity
- 13 to 38 mm hole centring capacity
- Weighs approximately 9 kg
- Table top: 356 x 597 mm
- Whole unit: 381 x 483 x 749 mm
- 1 year limited warranty



STANDARD FOREMAN BIT

Keep a standard replacement bit on hand, just like the 3/8" (9.5 mm) diameter bit that comes with your Foreman. This hex-shank bit also works with Kreg Jigs®.

Standard Replacement Bit without Drill Guide



ITEM# KR-KPHA300

HD ACCESSORIES

HD—the accessory to have when you want to BUILD BIG! You can build outdoor projects, construct strong deck rails, and even frame walls. Coated #14 screws create super-strong joints. You'll need the bit and drill guide to get started. Replacement bit is also available.



HD Drill Bit with Drill Guide

ITEM# KR-DB210-HDBB



HD Replacement Bit without Drill Guide

ITEM# KR-DB210-HDB

POCKET HOLE-JIG ACCESSORIES



ITEM# KR-KPHA530

POCKET-HOLE JIG MICRO-POCKET™ DRILL GUIDE KIT FOR 500-SERIES

Use a 500-Series Pocket-Hole Jig to create 25% smaller pocket holes — great for small projects, 13 mm material, and narrow stock. For use with 500-Series Pocket-Hole Jigs. Compatible with Kreg® pan-head pocket-hole screws. Includes a Micro-Pocket™ Drill Guide Block, Easy-Set Micro-Pocket™ Drill Bit and Stop Collar, and Material Thickness Gauge.



ITEM# KR-KPHA540

EASY-SET MICRO-POCKET™ DRILL BIT WITH STOP COLLAR & GAUGE/HEX WRENCH

The Easy-Set Micro-Pocket™ Drill Bit with Stop Collar & Gauge/Hex Wrench is designed for use with the Micro-Pocket™ Drill Guide Kit (KR-KPHA530 and KR-KPHA730) to create 25% smaller pocket holes using 500-Series and 700-Series Pocket-Hole Jigs. Includes an Easy-Set Micro-Pocket™ Drill Bit and Stop Collar and Material Thickness Gauge/Hex Wrench.



ITEM# KR-KPHA730

POCKET-HOLE JIG MICRO-POCKET™ DRILL GUIDE KIT FOR 700-SERIES

Use a 700-Series Pocket-Hole Jig to create 25% smaller pocket holes — great for small projects, 13 mm material, and narrow stock. For use with 700-Series Pocket-Hole Jigs. Compatible with Kreg® pan-head pocket-hole screws. Includes a Micro-Pocket™ Drill Guide Block, Easy-Set Micro-Pocket™ Drill Bit and Stop Collar, and Material Thickness Gauge.



ITEM# KR-KPHA740

CUSTOM PLUG CUTTER DRILL GUIDE KIT FOR 700-SERIES

Create standard-sized plugs that blend perfectly into your pocket-hole projects. Insert the plug cutter drill guide block into your Kreg® 700-Series Pocket-Hole Jig, then use the plug-cutting drill bit to create custom plugs from your desired material. Drill guide for use only with 700-Series Pocket-Hole Jigs. Includes a Plug Cutter Drill Guide Block, Standard Plug Cutter Drill Bit and Stop Collar, and Hex Wrench.



ITEM# KR-KPHA150

UNIVERSAL CLAMP ADAPTER

Make it even easier to hold your 300-Series Pocket-Hole Jig in position as you work using the Universal Clamp Adapter. The Universal Clamp Adapter fits into the drill guide and accepts any Kreg Clamp, as well as most trigger-action clamps. The adapter locks onto the clamp, so the jig is held securely, and you can move and position the jig using just one hand.



ITEM# KR-KPHA120

POCKET-HOLE JIG SPACERS

Expand the capability of your Pocket-Hole Jig 320 by adding more hole-spacing options. This kit includes two Pocket-Hole Jig Spacers that fit between the drill guides, so you can easily increase the spacing between holes by $\frac{3}{4}$ " (19 mm) increments to match your project needs. The spacers fit in place beside the drill guides, or beside another spacer, and lock into place with a simple twist.



ITEM# KR-KPHA110

POCKET-HOLE JIG EXPANSION PACK

Expand the capability of your Pocket-Hole Jig 310 or 320 by adding another drill guide to drill more holes, plus a spacer that adds more hole-spacing options. The Pocket-Hole Jig Expansion Pack includes one hardened-steel drill guide with convenient material-thickness stops, so you can add a second guide to your Pocket-Hole Jig 310, or add a third to the Pocket-Hole Jig 320. This kit also includes a Pocket-Hole Jig Spacer that provides more pocket-hole spacing options.

REPLACEMENT DRILL BITS



EASY-SET POCKET-HOLE DRILL BIT

This bit features engraved markings for 13 mm, 19 mm, and 38 mm materials to match up with the Easy-Set Stop Collar. A 6.5 mm hex shank fits all standard quick-change chucks. Compatible with all Kreg Pocket-Hole Jigs.

DRILL BITS

Kreg® drill bits feature a one-piece design that eliminates clogging and provides a much smoother, faster drilling stroke than the drill bits with replaceable centre drills. The Easy-Set Bit for our manual Pocket-Hole Jigs is made of high-speed steel.

DRIVERS

Kreg square-drive bits have deep tips that greatly reduce cam-out when driving screws. #2 drivers (for all except HD screws) come in 3" (76 mm) and 6" (152 mm) lengths. The 6" length is easiest to use in most applications, while the 3" is perfect for working in tight spots. The # 3 HD (Heavy Duty) driver comes in 6" length only.

- #KR-DDS 3" (76 mm) & 6" (152 mm) #2 Square Driver Set
- #KR-D6X2 Two 6" (152 mm), #2 Square Driver Set
- #KR-D6HD 6" (152 mm) #3 Square Driver for Kreg Jig® HD

- #KR-KJDHD
- #KR-KPHA308
- #KR-KPHA330

For Kreg Jig® HD
Drill Bit, Stop collar and Hex/Gauging wrench
Stop Collar & Material Gauge/Hex Wrench

REPLACEMENT CUTTING BITS



Plug Cutting Bit
Standard replacement bit for the Custom Pocket-Hole Plug Cutter

ITEM# KR-KPC1020



Plug Cutting Bit - Micro
Create smaller plugs to fit pocket holes created with the Kreg Micro-Pocket™ Drill Guide Block

ITEM# KR-KPC1040



Plug Cutting Bit - HD
Create larger plugs to fit pocket holes created with the Kreg Jig® HD

ITEM# KR-KPC1060

YOUR KREG® PROJECTS DEMAND KREG® SCREWS

Kreg® screws are built with specialised features that work together to ensure the strongest joint possible. They also make driving easy and help to reduce wood splitting. Choosing Kreg® Screws will give you the best results possible. To get these great results, you need to choose the best Kreg screw for your particular project. Choosing the right screw is easy once you understand the features of each screw type and how these features will impact the success of your project. Learn more about how to select the correct Kreg Screw for your project at www.kregtool.com.au



Kreg® Screw Container features:

- Easy-to-read, colour-coded labels
- Transparent containers
- Resealable, tight-fitting lids
- Nesting ability for easy storage
- Durable, impact-resistant material
- Reusable for storing other hardware
- 100, 250, 500, and 1200 count sizes



Our stainless screws are specially designed for high-moisture applications, excessive exposure to water, and other exceedingly corrosive environments, such as pressure-treated timber.

Item#	Thread	Length	Head Style	Qty.	Ø.
KR-SMLC125S5-100	Coarse	32 mm	Maxi-Loc™	100	#8
KR-SMLC250S5-50	Coarse	64 mm	Maxi-Loc™	50	#10



Blue-Kote™ screws are made from case-hardened steel, and feature three anti-corrosion layers, perfect for indoor and outdoor projects. They provide rust resistance up to 400% greater than zinc-plated screws, and work with pressure-treated material.

Item#	Thread	Length	Head Style	Qty.	Ø.
KR-SMLC125B-100/1200	Coarse	32 mm	Maxi-Loc™	100, 1200	#8
KR-SMLC150B-100	Coarse	38 mm	Maxi-Loc™	100	#8
KR-SMLC2B-50/250	Coarse	51 mm	Maxi-Loc™	50, 250	#8
KR-SMLC250B-50/125/250	Coarse	64 mm	Maxi-Loc™	50, 125, 250	#8



Our zinc-coated screws are made from case-hardened steel, and are recommended for a wide variety of indoor projects where exposure to moisture is not a significant concern.

Item#	Thread	Length	Head Style	Qty.	Ø.
KR-SMLC1-100/500/1200	Coarse	25 mm	Maxi-Loc™	100, 500, 1200	#8
KR-SPS-C1-100/250/500/1200	Coarse	25 mm	Pan Head	100, 250, 500, 1200	#6
KR-SMLC125-100/250/500/1200	Coarse	32 mm	Maxi-Loc™	100, 250, 500, 1200	#8
KR-SMLC150-100/250/500/1200	Coarse	38 mm	Maxi-Loc™	100, 250, 500, 1200	#8
KR-SMLC2-50/250	Coarse	51 mm	Maxi-Loc™	50, 250	#8
KR-SMLC250-50/125/250	Coarse	64 mm	Maxi-Loc™	50, 125, 250	#8
KR-SPSF075-100/500	Fine	19 mm	Pan Head	100, 500	#6
KR-SPSF1-100/500/1200	Fine	25 mm	Pan Head	100, 500, 1200	#6
KR-SMLF125-100/250/500/1200	Fine	32 mm	Maxi-Loc™	100, 250, 500, 1200	#7
KR-SPSF125-100/500/1200	Fine	32 mm	Pan Head	100, 500, 1200	#6
KR-SMLF150-100/500/1200	Fine	38 mm	Maxi-Loc™	100, 500, 1200	#7
KR-SPSF150-100/500	Fine	38 mm	Pan Head	100, 500	#6



Kreg HD Screws are designed for use with the Kreg Jig® HD and with 38 mm and thicker stock. These 64 mm-long, #14 hardened-steel screws provide incredible shear-resistance, and have a Protec-Kote™ finish with three anti-corrosion layers for long-term moisture resistance. Require a #3 square drive.

Item#	Thread	Length	Head Style	Qty.	Ø.
KR-SMLC2X250-30/125	Coarse	64 mm	Maxi-Loc™	30, 125	#14

HARDWARE CONTAINERS

Hardware Containers are the perfect solution for storing and organising all kinds of loose hardware. These handy containers are the same durable, resealable, reusable containers that are used to package Kreg Screws and Plugs. Hardware Containers have labels you can write on to easily identify what's inside. Available in small and large sizes. Sold in packs of four.

SIZES

- Small: 76 wide x 108 tall x 49 mm deep
- Large: 108 wide x 159 tall x 49 mm deep



Fill them



Label them



Stack them

POCKET-HOLE SCREW KITS

PROJECT KIT

This kit contains five of the most-popular Kreg pocket-hole screw sizes in quantities that are perfect for handling a wide variety of projects, all in a durable carrying case.



Included:	QTY.
KR-SPSF1	150
KR-SPSC1	150
KR-SMLF125	150
KR-SMLC125	150
KR-SMLC250B	75

OUTDOOR PROJECT KIT

This kit contains four of the most-popular Kreg Blue-Kote™ weather-resistant pocket-hole screw sizes for building outdoor projects.



Included:	QTY.
KR-SMLC125B	100
KR-SMLC150B	100
KR-SMLC2B	100
KR-SMLC250B	150

STARTER KIT

This kit contains six of the most-popular Kreg pocket-hole screw sizes in a right-sized pack that's perfect to have on hand when project inspiration strikes, or when you need to make repairs.



Included:	QTY.
KR-SPSC1	50
KR-SMLF125	50
KR-SMLC125	50
KR-SMLC150	50
KR-SMLC250	30
KR-SMLC250B	30

CROSSCUT STATION

The Crosscut Station delivers the capabilities of a mitre saw with just a circular saw. Crosscut boards wider than most compound mitre saws can handle 12" (up to 305 mm) at 90°. Make a variety of angle and mitre cuts from 0° to 45° with the Adjustable Fence.

An MDF base and SureCut™ backboard act as a sacrificial surface for splinter-free cutting results. The MDF base also functions as a kerf line to clearly show the blade's path.


Use material support wings and the detachable blocks to cut long boards safely by supporting offcuts. They pull out easily when more support is needed, and tuck back in when not in use. The Crosscut Station is quick to set up and easy to store away. Its compact design even makes it portable for accurate crosscuts and angle cuts on the go.



ITEM# KR-KMA4100



HIGH PERFORMANCE



INCLUDES

- Crosscut Station with Guide Rails
- Built-in Material Hold-Down Clamps
- Adjustable Fence

Crosscut up to 2" (up to 305 mm) wide and make a variety of mitre cuts from 0° to 45°.

FEATURES



MDF base and backboard act as sacrificial surface for splinter-free cutting.



Material support wings with detachable blocks add material support for long pieces.



A kerf line you cut into the MDF base shows exactly where your saw will cut.



Works with left- or right-blade circular saws.



PORTABLE CROSSCUT

ITEM# KR-KMA4000

The Portable Crosscut is perfect for quick, precise crosscuts in boards up to 203 mm wide and makes accurate cuts at a 45° angle using just a circular saw. See exactly where the saw will cut every time thanks to the retractable cutline indicators. Simply align them to a pencil mark and cut with confidence.

The saw support ledge starts off every cut with stability and precision, while GripMaxx™ holds the guide steady throughout the entire cut. It's all part of the guided cutting advantage that delivers high-quality cuts using only a guide and a circular saw.



ADD SPEED AND ACCURACY TO ANY CIRCULAR SAW



Quickly and accurately crosscut up to 203 mm wide



Make precise 45° cuts.



Take the guide anywhere your projects take you.



Cutline indicators show exactly where your saw will cut.

STRAIGHT EDGE GUIDE

Cut sheet goods down to size with precision and ease by using the Kreg® Straight Edge Guide. Work with material up to 1220 mm and get the cuts you need — using a circular saw, jigsaw, or even a trim router. Guided cutting makes it easier than ever to see exactly where the saw will cut to deliver accurate results every time.

Align cuts quickly and precisely with the cutline indicators. Secure the guide to the material using low-profile GripMaxx™ clamps that are built right into the guide. Then simply make a cut.



Aluminium guide rail leads cuts precisely along a straight line



Works with left- and right-blade circular saws, as well as jigsaws and trim routers



ITEM# KR-KMA4500

NEW
★ ★ ★

INCLUDES

- (2) 710 mm Guide Rails
- (2) Paired Connector Bars
- (2) Cutline Indicator Arms
- Adjustable GripMaxx™ Clamp Handle

STRAIGHT EDGE GUIDE EXTENSION

Add two extra feet to the Kreg® Straight Edge Guide to make even longer cuts in sheet goods with most circular saws, jigsaws, and trim routers.

INCLUDES

- 610 mm Guide Rail
- (2) Paired Connector Bars



ITEM# KR-KMA4600



Add 610 mm to your Straight Edge Guide to crosscut and rip cut sheet goods

STRAIGHT EDGE GUIDE XL

Cut full sheets of plywood down to size with precision and ease by using the Kreg® Straight Edge Guide XL. Work with material up to 2440mm using a circular saw, jigsaw, or even a trim router. Guided cutting makes it easier than ever to see exactly where the saw will cut to deliver accurate results every time.



Aluminium guide rail leads cuts precisely along a straight line



Crosscut and rip cut material up to 2440 mm



ITEM# KR-KMA4700

NEW
★ ★ ★

INCLUDES

- (2) 710 mm Guide Rails
- (2) 610 mm Guide Rails
- (6) Paired Connector Bars
- (2) Cutline Indicator Arms
- Adjustable GripMaxx™ Clamp Handle

RIP-CUT™

The Rip-Cut™ turns your circular saw into a precision edge-guided cutting tool that makes straight, accurate, repeatable cuts in plywood and other large sheets. With the Rip-Cut, you don't have to measure, mark, or struggle to keep the saw on the cut line, thanks to a long edge guide that follows the edge of the sheet. Just lock the saw in at the measurement you want – up to 610 mm – using the built-in measuring scale, and then make your cut.

Simply mount your saw to the Universal Sled – it accepts most left- or right-blade saws – and then slide the sled onto the aluminium rail. The edge guide is reversible for use whether you're left- or right-handed. The Rip-Cut™ is an easy, accurate, and affordable way to cut plywood and sheets down to size.



Make cuts wherever you want to by taking your saw to the workpiece rather than taking your workpiece to the saw.

INCLUDES

- (1) Universal Saw Sled
- (1) Aluminum Guide Rail
- (1) Precision Edge Guide
- (1) Owner's Manual

SPECS

- Aluminium & impact-resistant polymer construction
- Guide Rail locks in the measurement on a built-in scale
- Accepts left- & right-blade saws
- Has built-in index stop & precision cursor
- Cut widths up to 610 mm



ITEM# KR-KMA2685



No measuring or marking required thanks to a built-in measuring scale and precision cursor. Just lock in your cut size, and go.



Easy repeatability lets you make multiple parts of the same size, and eliminate errors caused by incorrectly sized parts.



Make quick, accurate adjustments by simply sliding the saw sled along the rail, and then locking it down. No tools necessary. The sled also works with the Accu-Cut™.



Straight cuts are easy thanks to an oversized edge guide with a hand-hold that provides control through the entire cut by following the edge of your sheet.

ACCU-CUT™

The Accu-Cut™ makes straight, accurate, splinter-free cuts with your circular saw. It rips and crosscuts up to 1270 mm long in plywood, MDF, and panels with amazing control. The Accu-Cut guides your circular saw along an aluminium track that keeps the saw moving in a straight line, and it makes setup easy by just aligning the track with your cut line. Anti-Chip and Anti-Slip Guide Strips hold the track in place without clamps, and support the wood fibres to prevent splintered cuts.

Simply mount your saw to the Universal Sled — it accepts most left-blade or right-blade saws. Set the sled on the track, and you're ready to cut. Because the Accu-Cut™ is portable, you can take your saw to the workpiece and cut with precision, rather than having to handle heavy sheets on a table saw. Optional Track Clamps can be used with slick materials such as melamine or pre-finished plywood.



A Starting Block in the Accu-Cut™ track aligns and supports your saw to ensure that you can start every cut accurately. Plus, the Starting Block allows normal blade-guard operation to ensure safety as you start each cut, and helps guide the saw cord while cutting.



The Accu-Cut™ sled attaches easily to your circular saw, and accepts most left- or right-blade saws. A stop ensures repeatable alignment, so you can remove the saw from the sled for freehand cutting, and then reinstall it on the sled quickly and easily. This sled also works with the Rip-Cut™



Eliminate the guesswork by simply aligning the track with your reference marks. Guide Strips on each edge of the Accu-Cut™ show you exactly where your saw will cut, so you can make every cut with confidence.



The track stays in place on your marks thanks to an anti-slip, anti-chip surface on the underside of the Guide Track, so no clamps are needed for most cuts. Optional clamps (below) are available for use on materials with a slick surface, melamine or pre-finished plywood.



Take your projects to the next level with more precision from your circular saw than you ever thought possible.

INCLUDES

- (1) Universal Saw Sled
- (1) Starting Block
- (2) 673 mm Aluminium Track Sections
- (2) Aluminium Connectors with Set Screws
- (4) Anti-Chip and Anti-Slip Guide Strips
- (1) Owner's Manual

SPECS

- Aluminium & impact-resistant polymer construction
- Anti-Chip, Anti-Slip Guide Strips
- Universal Saw accepts left- and right-blade saws
- Starting Block aligns saw at start of cut
- Cut length up to 1270 mm




ITEM# KR-KMA2700

ACCU-CUT™ EXPANSION PACK

Double the cutting capacity of your Accu-Cut™ with the Accu-Cut Expansion Pack. It connects easily to your Accu-Cut to deliver the same straight, accurate, splinter-free performance on cuts up to 2540 mm long.

INCLUDES

- (2) 673 mm Aluminium Track Sections
- (6) Steel Track Connectors with Set Screws
- (8) Anti-Chip & Anti-Slip Guide Strips
- (1) Owner's Manual




ITEM# KR-KMA2750

ACCUCUT™ XL

Transform your circular saw into a high-performance track-guided cutting tool for breaking down full sheets of plywood. Set your projects up for success by making straight, accurate, splinter-free cuts with the Accu-Cut™ XL Circular Saw Track Guide. It rips and crosscuts up to 2540 mm long in plywood, MDF, and other large panels with accuracy and control.

The Accu-Cut™ XL guides your circular saw along an extended-length aluminium track that holds the saw steady and keeps your cuts straight. The track guide is designed for simplicity: just mount your saw to the Universal Sled, align the Accu-Cut XL track to the cut line, and make the high-quality cuts you need. The Anti-Chip Guide Strips prevent splintering and tearout through the entire length of your cut. The same strips also feature an Anti-Slip surface that holds the track in place without clamps.



ITEM# KR-KMA3700

SPECS

- Aluminium & impact-resistant polymer construction
- Anti-Chip, Anti-Slip Guide Strips
- Universal Saw accepts left & right-blade saws
- Starting Block aligns saw at start of cut
- Cut length up to 2540 mm

INCLUDES

- (1) Universal Saw Sled
- (1) Starting Block
- (4) 673 mm Aluminium Track Sections
- (6) Steel Track Connectors with Set Screws
- (8) Anti-Chip and Anti-Slip Guide Strips
- (1) Owner's Manual



HIGH-PERFORMANCE TRACK-GUIDED CUTTING

The Accu-Cut™ XL turns your circular saw into a precision cutting tool to make straight, accurate, splinter-free cuts. The extended-length track cuts up to 2540 mm long in panels and plywood. The track is lined with Anti-Chip, Anti-Slip Guide Strips that prevent splintering and tearout while holding the track in place without clamps.

CROWN-PRO™

Installing crown moulding is one of the best ways to add instant value to your home. The Crown-Pro™ simplifies the most frustrating steps of the process, so you minimise mistakes and get the job done faster. This unique tool holds your trim at the exact angle required, eliminating the need for advanced compound mitre cuts and difficult "coping." Its design lets you compensate for a wide variety of crown moulding spring angles, and extension arms lets you work with crown up to 140 mm wide.

SIMPLE STEPS TO PERFECT CROWN:



MAKE YOUR CUTS

Position your Crown-Pro™ on either side of your saw based on the type of joint, and then make the cut.



INSTALL YOUR CROWN

Position your crown on the wall and nail it securely into place. You'll get perfect results with the Crown-Pro™



ITEM# KR-KMA2800

INCLUDES

- (1) Crown-Pro™
- (1) Double-Sided Angle Finder
- (8) Non-Slip Rubber Feet
- (1) Owner's Manual

SPECS

- Size: 79.75 x 349.48 x 105.92 mm)
- Workpiece width: 140 mm with 12" saw, 89 mm with 10" saw
- Spring angle range: 30° - 65°

PRECISION BAND SAW FENCE

Most band saw blades don't run perfectly perpendicular to the front of your table. There's always just a little bit of "drift" that prevents you from getting precise cuts, even with a fence. The Precision Band Saw Fence easily adjusts to your blade's drift angle to provide you with a new level of band saw accuracy. This fence mounts to most 355 mm band saws right out of the box, and can be modified to fit many others by drilling a single hole in the aluminium mounting rail.

NOTE: Supplied with imperial markings. Optional metric tape available (page 46).




ITEM# KR-KMS7200

SPECS

- Anodised aluminium construction
- Precision lens cursor for accurate cuts
- Mounting rail: 660 mm long
- Easy adjustments for squareness to the table and for blade drift
- Fence: 457 mm long
- Pre-drilled holes fit most 356 mm band saws

EXACT ALIGNMENT



Set the fence exactly square with your table surface, and adjust the angle to compensate for blade drift easily with set screws that adjust simply and hold securely for dependable results.

EASY TO REMOVE




Remove the fence in seconds, with no tools required! Just loosen the locking knob and lift the fence from the mounting rail. The rail sits out of the way below the table surface.

RIGID DESIGN



The aluminium fence is incredibly strong, straight, and built to last for years. The face and top edge of the fence contain T-slots for adding stops, resaw guides, and more.

TWO-POSITION FENCE



Quickly and easily switch from a tall fence to a low fence for cutting thin pieces without throwing off squareness or blade drift settings. Then switch back just as easily.

PRECISION LENS CURSOR



Magnified and easy-to-read for even the smallest adjustments, the Precision Lens Cursor lets you accurately set up the fence for cutting veneer, tenons, and more.

ACCEPTS A STOP



Add an optional Swing Stop™ or a Production Stop to the fence to simplify making accurate, repeatable cuts to a set depth, such as when cutting tenons (See page 24).

ACCESSORIES



114MM RESAW GUIDE
Adjust for blade drift as you resaw.

ITEM# KR-KMS7213



178MM RESAW GUIDE
Adjust for blade drift as you resaw wide workpieces.

ITEM# KR-KMS7214



PRECISION MICRO-ADJUSTER
Add enhanced precision to every cut.

ITEM# KR-KMS7215


PRECISION MITRE GAUGE

Why spend your time calibrating a mitre gauge when you can get factory-calibrated accuracy right out of the box? Our Precision Mitre Gauge requires no calibrating, and features positive stops at 0°, 10°, 22 1/2°, 30° and 45°, making it easy to cut mitres quickly.

When you want to cut at a different angle, the super-accurate, easy-to-use Vernier scale allows for fast adjustments to 1/10th of a degree.

You can choose the Precision Mitre Gauge, or the Precision Mitre Gauge System, which includes a 610 mm fence and a Swing Stop™ (see buying options below).

NOTE: Supplied with imperial markings. Optional metric tape available. (page 46)




ITEM# KR-KMS7102

SPECS

- Fence: 610 mm anodised aluminium construction
- Guide bar: 660 mm long, 9.5 mm thick, 19 mm wide
- Positive stops at: 0°, 10°, 22 1/2°, 30° & 45°
- Factory calibrated

PERFECT MITRES, FAST!

Precision is the name of the game for this CNC-milled mitre gauge. We build accuracy into every feature of this product from the adjustable mitre bar to the easy-to-use, incredibly accurate Vernier scale. This mitre gauge will give you better, more accurate cuts to ensure project success.



FEATURES



PRECISION LENS CURSOR

Similar to the type of lens found on a quality table saw rip fence, the clear lens features a high-visibility red line that makes it easy to set the Swing Stop™ for precise cuts, time after time.



NO PLAY IN MITRE SLOT

Our extremely straight 610 mm anodised-aluminium bar is 9.5 mm thick by 19 mm wide and features five bar adjusters that eliminate "play" in the mitre slot.



MULTIFUNCTION SWING STOP™

Included with the Precision Mitre Gauge System. The Multifunction Swing Stop™ adds repeatable accuracy to your Mitre-Gauge Fence. This versatile stop holds your desired measurement precisely, and swings out of the way easily when you want to cut without it.



BUYING OPTIONS



PRECISION MITRE GAUGE
Precision Mitre Gauge only.

ITEM# KR-KMS7101



PRECISION MITRE GAUGE SYSTEM
Precision Mitre Gauge, 610 mm aluminium fence, and Swing Stop™

ITEM# KR-KMS7102

PRECISION TRAK & STOP KIT

Take the guesswork—and your tape measure and pencil—out of cutting wood to length. Our Precision Trak and Stop Kit allows you to turn a mitre saw into a precise cutting system. Simply position the stop at the dimensions you'd like to cut using the Precision Lens Cursor, place the board against the stop, and cut to that exact length every time. You build the support wings out of plywood (or another sheet material), and then add the Trak. The 610 mm-long Trak sections give you options. Includes four 610 mm-long sections that can be used on the right or left side of the saw, or split between both sides. Outfitting your saw to cut perfectly-sized workpieces couldn't be simpler!

ITEM# KR-KMS800M



INCLUDES


- (4) 610 mm pieces of Trak
- (1) Swing Stop™
- (1) Production Stop
- (1) 305 mm length of left-to-right reading self-adhesive tape
- (1) 305 mm length of right-to-left reading self-adhesive tape
- (1) Owner's Manual
- (1) Mounting Hardware

SPECS


- Anodised aluminium construction
- Can be configured in multiple ways
- Precision left-to-right and right-to-left measuring rules
- Swing Stop™ and Production Stop ensure accuracy, repeatability
- Detailed instructions show how to build a platform to fit your saw



Position all 2440 mm of Trak on one side.



Centre your saw with 1220 mm of Trak on each side.



Place 1830 mm of Trak on one side and 610 mm on the other side.

PERFECT FOR A WIDE VARIETY OF APPLICATIONS

The most common setup for the Precision Trak & Stop Kit is with a mitre saw. But many people find it useful to add to their radial arm saw or drill press. No matter where you use the Precision Trak & Stop Kit, you'll find it far more accurate and much quicker than a tape measure and pencil.



PRODUCTION STOP

Designed to stand up to the rigours of repetitive cuts in an industrial environment, the Production Stop mounts onto the top of the fence and features dual lens cursors for convenient use on either side of the blade.

#KR-KMS7800



SWING STOP™


The Swing Stop™ features bushings that reduce "play" in the stop to increase accuracy. The stop sets the distance between the end of the board and the blade for accuracy and repeatability, and flips out of the way when not in use.

#KR-KMS7801



RIGID ALUMINIUM FENCE

The anodized aluminum Trak features an L-shaped foot that makes alignment and mounting to 19 mm thick board a snap. Trak is designed with a groove across the top to accept the included self-adhesive measuring tape.



SIMPLE SUPPORT WINGS

Build simple plywood or MDF extensions to match the height of your saw, and then add a back fence that reaches 57 mm above the saw base height. Instructions for building the wings and mounting hardware for the Trak is included.

NOTE: Not supplied with tape. See page 46 for optional metric or imperial tapes.

PRECISION STOPS



PRODUCTION STOP

This heavy-duty, highly accurate stop is built for rugged use. Dual lens cursors allow for use on either side of the blade. The Production Stop fits on top of the Top Trak and Heavy-Duty Trak. Can be removed and repositioned easily.

SWING STOP™

Add repeatable accuracy to your mitre saw, band saw, or table saw fence with this versatile Swing Stop™. It holds your desired measurement precisely, and swings out of the way easily when you want to cut without it.

NOTE: Not supplied with tape. See page 46 for details.

TRAK COMPONENTS



JIG AND FIXTURE BAR

This durable bar fits standard 12 x 9.50 mm mitre slots. Eight nylon screws along the length of the bar adjust to take up any play in the slot. Mounting holes are located every 127 mm along the length of the bar. Perfect for building workshop jigs and fixtures.

ITEM# KR-KMS7303 Jig & Fixture Bar (762 mm length)



HEAVY-DUTY TRAK

Our Heavy-Duty Trak is an L-shaped, anodised-aluminium extrusion that is extremely straight and perfect for heavy-duty commercial applications. Contains four T-slots that accommodate the head of a standard 6 mm bolt.

ITEM# KR-KMS7704 Heavy-Duty Trak (1219 mm length)



COMBO-TRAK

Building your own router table? This combination Mitre-Trak and Mini-Trak works with your mitre gauge, featherboards, and other accessories to add flexibility to your table top.

ITEM# KR-KMS7448 Combo-Trak (1219 mm length)



TOP TRAK

This track features a self-aligning L-shaped mounting foot for easy installation to a shop-made fence. Just drill 1/8" (3 mm) holes through the back of the extrusion and secure with the included mounting screws.

ITEM# KR-KMS7712 Top Trak (610 mm length)
ITEM# KR-KMS7714 Top Trak (1219 mm length)



TRACK CLAMPS

Track Clamps have a T-bolt that fits the Accu-Cut™ Adaptive Cutting System 62" Guide Track, Mini Trak, Top Trak, HD Trak, Clamp Trak, and Mobile Project Center. Great for making jigs and fixtures. Sold as a pair, hardware included.

ITEM# KR-KMS7520 Track Clamps



MINI TRAK 1219MM

Mini Trak can be used to produce countless types of woodshop jigs and fixtures such as taper jigs and cut-off sleds. An adaptation of our other popular styles of Trak, Mini Trak features a T-slot that captures the head of a standard 6 mm hex bolt.

ITEM# KR-KMS7509 Mini-Trak (48" length) (1219 mm)



AUTOMAXX[®]

AUTO-ADJUST TECHNOLOGY

Automaxx[®] Technology makes clamping fast and foolproof by adjusting the clamp automatically to match the material thickness. Whether it's thick, thin, or in between, Automaxx[®] holds every time with the clamping pressure you set.



CLAMP THICK



CLAMP THIN



OR IN BETWEEN...

WITHOUT READJUSTING THE CLAMP!

WOOD PROJECT CLAMPS

Wood Project Clamps are perfect for Kreg Joinery,[™] project assembly, general clamping, and more. Available in two sizes—76 mm reach and 152 mm reach—these versatile clamps have large clamp faces that distribute clamping force evenly and won't mar delicate surfaces. They are compatible with the 300-Series Pocket-Hole Jig Universal Clamp Adapter and the Kreg Portable Base.

Thanks to Automaxx[®] Auto-Adjust Technology, Wood Project Clamps adjust to match material thickness automatically with a simple squeeze of the handles—whether the material is thick, thin, or in between. These clamps also feature easy-to-regulate clamping pressure with a simple thumbscrew.



AUTOMAXX[®]

WOOD PROJECT CLAMP

76 mm reach, 76 mm capacity. This easy-to-use, compact clamp fits easily into tight spaces.



ITEM # KR-KHC3

WOOD PROJECT CLAMP

152mm reach, 127 mm capacity. Offers increased reach and clamping capacity for larger items.



ITEM # KR-KHC6

BENCH CLAMPS

Bench Clamps offer the perfect solution for benchtop clamping. These versatile clamps are perfect for creating flush-fitting assemblies with Kreg Joinery,[™] and they're great for project assembly, routing, cutting, sanding, drilling, and more. Bench Clamps work with Clamp Trak, Bench Clamp Base, the Clamp Table, Mobile Project Center, and more to secure workpieces using an extra-large padded clamp face that evenly distributes clamping force.

Thanks to Automaxx[®] Auto-Adjust Technology, Bench Clamps adjust to match material thickness automatically with a simple squeeze of the handles—whether the material is thick, thin, or in between. These clamps also feature easy-to-regulate clamping pressure with a simple thumbscrew.



AUTOMAXX[®]

BENCH CLAMP

76 mm reach
89 mm capacity



ITEM # KR-KBC3

BENCH CLAMP

152 mm reach
127 mm capacity



ITEM # KR-KBC6

BENCH CLAMP WITH BENCH CLAMP BASE

This handy kit contains a 76 mm Kreg® Bench Clamp and a Bench Clamp Base together. The clamp is equipped with Kreg Automaxx® technology, so all you have to do is attach the base to your work surface, insert the clamp, and then squeeze the clamp handles. The clamp adjusts to match the thickness of your workpiece—up to 89 mm.

INCLUDES

- (1) 76mm Bench Clamp with Automaxx®
- (1) Bench Clamp Base

AUTOMAXX ITEM # KR-KBC3-BAS



Steel clamp and cast aluminium base hold large pieces in place securely.



Bench Clamp keeps pieces perfectly aligned to create tight-fitting joints.



Versatile design provides clamping capability for a wide variety of tasks.



Movable base is easy to position wherever needed on your work surface.

BENCH CLAMP BASE

Bring the power and convenience of Kreg Bench Clamps to any work surface, and create a versatile clamping station almost anywhere. The Bench Clamp Base is a perfect companion to the Kreg Mobile Project Center, and it allows you to get more from any work surface with 19 mm or 20 mm bench dog holes. Or drill a hole in any work surface to easily attach the Bench Clamp Base, and just as easily remove it when not in use, or to move it.

FEATURES

- Cast aluminium base
- Heavy-duty 13 mm anchor bolt
- Easy-to-grip knob
- Works with all Kreg Bench Clamps—from earliest versions to current Automaxx® models
- Movable to allow use on more than one work surface
- Includes base, knob, hardware, and instructions




90° CORNER CLAMP

The Kreg® 90° Corner Clamp makes it easier than ever to successfully assemble boxes, cabinets, drawers, and cases by giving you the extra hand you need to hold these assemblies at perfect 90° angles. This handy clamp makes alignment of the project parts easy, while Kreg Automaxx® Technology makes clamp operation fast and foolproof. When you are assembling projects using Kreg Joinery™, the Kreg 90° Corner Clamp offers the fastest, easiest-to-use corner clamp you can buy.

SPECS

- Works on 90° corners and "T" joints
- Cast aluminium "V" and wedge pads
- 1" maximum thickness capacity
- Automaxx® auto-adjust technology
- Easy-to-regulate clamping pressure with thumbscrew
- Cutout allows driving a pocket-hole screw without removing clamp
- Padded, ergonomic handles



THE EASY WAY TO HOLD 90° CORNER JOINTS & "T" JOINTS

Get the helping hand you need to hold 90° corners and "T" joints together securely when you're assembling boxes, drawers, cabinets and cases. The 90° Corner Clamp leaves both of your hands free to add your fasteners as you assemble your projects using Kreg Joinery™.

FEATURES



ADJUSTABLE

Easy-to-regulate clamp pressure provides appropriate pressure for all materials and assemblies.



PRECISE

Cast-aluminium "V" wedge clamp pads hold pieces at true 90° angles and help ensure edge alignment during assembly.



VERSATILE

Clamp jaw design securely holds corner and "T" joints at 90° angles, which leaves your hands free to work while the assembly stays together.



EASY-TO-USE

Automaxx® technology adjusts automatically to material thickness—up to 1"—and maintains clamping pressure.

AUTO-ADJUST BAR CLAMPS

When you want the durability and auto-adjust convenience of Automaxx® clamping, but you need more clamping capacity, turn to Auto-Adjust Bar Clamps with Automaxx® Technology. Just like other Kreg Clamps, these bar clamps adjust automatically when you change material sizes.

Just slide the clamp jaws against your workpiece, and then squeeze the handles. Automaxx® Technology does the rest, closing the clamp with predictable, dependable clamping pressure every time. That clamping pressure is easy to regulate, as well, thanks to a simple thumbscrew that dials in the pressure you need, from gentle to highly powerful clamping.

Auto-Adjust Bar Clamps are available in three lengths — 203, 406, and 609 mm — to suit a variety of project needs. Whether the job requires holding large pieces during assembly, keeping workpieces in place on your bench, or any number of other project processes, Auto-Adjust Bar Clamps are up to the task.



AUTOMAXX®

203 mm
ITEM # KR-KSC8

406 mm
ITEM # KR-KSC16

609 mm
ITEM # KR-KSC24



Sliding clamp jaw moves to any position on bar.



Available in three different capacities to match your needs.



Padded jaws grip securely without marring.

CLAMP VISE

Thanks to Automaxx® Auto-Adjust Technology, the Bench Clamp adjusts to match the material automatically with a simple squeeze of the handles—whether the material is thick, thin, or in between. The clamp allows easy regulation of clamping pressure with a simple thumbscrew.

INCLUDES

- (1) Bench Clamp with Automaxx®
- (1) Clamp Vise™ Plate
- (2) Clamp Blocks™
- (2) Bench Dogs with Bench Brakes
- (1) Mounting Hardware
- (1) Instructions



AUTOMAXX®

ITEM # KR-KBC3-VISE

RIGHT ANGLE CLAMP

The Right Angle Clamp makes projects with 90° joints faster and easier by giving you the helping hand you need to hold the parts in position during assembly. Just slip the pin on the Right Angle Clamp into a pocket hole, close the clamp, and it draws the mating pieces tightly together. The swiveling clamp pad grabs the mating piece securely.

Automaxx® Auto-Adjust Technology adjusts the Right Angle Clamp to match the material automatically with a simple squeeze of the handles. Designed for use with standard-size Kreg® pocket holes only. Not compatible with Micro-Pocket™ holes.




AUTOMAXX®

ITEM# KR-KHCRA

BENCH CLAMP WITH HEAVY-DUTY CLAMP PLATE

AUTOMAXX

For versatile clamping on the go, check out the Heavy-Duty Bench Clamp System. It combines a 76 mm Bench Clamp with a thick 254 mm x 254 mm powder-coated steel plate. The clamp is equipped with Kreg Automaxx® technology, so all you have to do is set the base where you want it (rubber feet keep it in place), insert the clamp, and then squeeze the clamp handles. The clamp adjusts to match the thickness of your workpiece—up to 89 mm.



INCLUDES

ITEM # KR-KBC3-HDSYS

- (1) 76 mm Bench Clamp with Automaxx®
- (1) 6 mm x 254 mm x 254 mm Powder-Coated Steel Plate
- (4) Rubber Feet



IN-LINE CLAMP

By applying pressure from the side, the In-Line Clamp stays out of the way as you work. A peg fits into any 3/4" diameter hole holds the clamp in place, so this clamp makes it possible to get more from any bench with dog holes—or any work surface where you can drill holes. The In-Line Clamp also makes a perfect companion to the Mobile Project Center.

Get the helping hand you need, when you need it, with the versatility and power you want for a wide variety of do-it-yourself and woodworking tasks from sanding to glue-ups, sanding painting and finishing, routing, project assembly, and more. This clamp applies up to 113 kg of clamping force, and swivels to clamp from any angle on almost any shape workpiece.

ITEM # KR-KBCIC



Low-profile design keeps clamp out of the way while working.



Clamp shoe holds flat and rounded shapes, as well as 90°.



Makes a perfect companion to the Kreg Mobile Project Center.



Works on any bench with 3/4" bench dog holes, or drill your own.

BENCH DOGS

These four 3/4" Bench Dogs are great clamping aids. Made from ultra-durable, glass reinforced nylon. Included sticky rubber bench brakes keep workpieces from slipping.



ITEM # KR-KKS1070

CLASSIC FACE CLAMPS

Classic Face Clamps are designed for creating perfectly flush Kreg Joints.™ They also work great for lots of other shop and project tasks that require solid clamping without marring. These clamps feature large clamp pads that distribute clamping force evenly, and hold pieces flush during assembly. When used in Kreg Joinery,™ the extra-large clamp face gets positioned on the “show” side of the joint.

Classic Face Clamps are available in two sizes: 51 mm reach and 76 mm reach. Both have a simple screw that adjusts the clamp to match material thickness, plus comfortable padded handles. Both are compatible with Clamp Adapter on 300-Series Pocket-Hole Jigs.

ITEM # KR-KHC-MICRO

CLASSIC 2" FACE CLAMP

51 mm reach; clamps materials up to 57 mm thick. This easy-to-use, compact clamp fits easily into tight spaces.



ITEM # KR-KHC-PREMIUM

CLASSIC 3" FACE CLAMP

76 mm reach; clamps materials up to 70 mm thick. Offers increased reach and clamping capacity.



STURDY

Classic Face Clamps are designed for creating perfectly flush Kreg Joints.™ They also work great for lots of other shop and project tasks that require solid clamping without marring.

VERSATILE

Classic Face Clamps make it easier to build using Kreg® 300-Series Pocket-Hole Jigs by locking securely onto the Clamp Adapter.

POCKET HOLE JIG UNIVERSAL CLAMP ADAPTER

For Kreg® Pocket-Hole Jig 320, 310
Holds clamp in place on jig to allow
one-handed jig placement on
workpiece.



ITEM # KPHA150



CLAMP TABLE AND STEEL STAND COMBO

The Clamp Table is the ultimate clamping solution for Kreg Joinery™ and works with the entire family of Kreg® Bench Clamp products. Now this versatile table is even better with the addition of Automaxx® Clamping.

If you've ever struggled to get perfectly flush Kreg Joints™ failed to get your clamps positioned exactly where you need them, or needed an extra set of hands around the workshop, the Clamp Table is the perfect solution.

Made from glue-resistant melamine, this large 552 x 857 mm work surface is perfect for sanding, sawing, drilling, routing, joining, and almost any other woodworking task.

Available two ways: As a complete system with a heavy-duty stand, or with everything except the stand.



ITEM # KR-KCT-COMBO

AUTOMAXX®

CLAMP TABLE WITH AUTOMAXX®

- Large 552 x 857 mm clamping surface
- Glue-resistant melamine surface
- Clamp Trak™ on two sides of the table provides endless flexibility
- Clamp Blocks™ allow for fast, accurate, and consistent registration of work pieces
- Can be used for a variety of woodworking functions, including sanding, routing, and layout

MULTI-PURPOSE SHOP STAND

- Heavy-duty 12- & 16-gauge steel
- Adjustable: 787 to 990 mm
- Four stable leveling feet
- Highly durable powder coated steel
- Fast and easy assembly

MAKE IT MOBILE



ITEM # KR-PRS3090

Heavy-Duty Casters

Add mobility to your Multi-Purpose Shop Stand with these four optional heavy-duty casters. Dual-locking mechanism protects against caster roll and pivot. Weight capacity is 68 kg each. Includes all necessary hardware.



The Clamp Table holds workpieces securely and provides solid support for Kreg Joinery™, drilling, sawing, sanding, routing, and more!

UNIVERSAL CLAMP TRAK™ KITS

Create your own clamping system that securely holds workpieces in place on your bench as you work. The Universal Clamp Trak™ Kit accepts Kreg® Bench Clamps (sold separately) that you can use to lock workpieces down while creating Kreg Joints™, sanding, routing, drilling, and much more. The long Traks™ allow you to position one, two, or more Bench Clamps exactly where you need them.

FEATURES

- Heavy-duty anodised aluminium construction
- 17 mm thickness allows Trak™ to sit just below a 19 mm-thick surface
- Works with Kreg® Bench Clamps™
- Works with Clamp Blocks™



UNIVERSAL CLAMP TRAK™

Kit 686 mm x 1143 mm

Fits workbenches 762 x 1219 mm and larger

Note: Kit is compatible with Kreg Universal Bench (page 50) 508 x 1117 mm or 711 x 1117 mm



ITEM # KR-KKS2745

INCLUDES

- (1) 686 mm Trak™
- (1) 1143 mm Trak™
- (1) Mounting Hardware and Instructions

UNIVERSAL CLAMP TRAK™

Kit 686 x 1752 mm

Fits workbenches 762 x 1829 mm and larger

Note: Kit is compatible with Kreg Universal Bench (page 75) 508 x 1625 mm or 711 x 1625 mm




ITEM # KR-KKS2769

INCLUDES

- (1) 686 mm Trak™
- (1) 1752 mm Trak™
- (1) Mounting Hardware and Instructions


TWO EASY WAYS TO MOUNT YOUR TRACK



SURFACE MOUNT

Simply mount Traks™ to a 19 mm-thick or thicker surface.

- Creates raised edges that can be used as workpiece stops and squaring aids
- Adds capacity to Bench Clamps™
- Works with any surface—single or multiple layer



FLUSH MOUNT

Mount Traks™ to a 19 mm-thick or thicker surface, then add a 19 mm-thick layer to create a flush surface. Or, rabbet edges of bench top, and then mount Traks™

- Allows unobstructed bench top surface
- Retains standard Bench Clamp™ Capacity
- Allows use of Kreg Clamp Blocks™

CLAMP SYSTEM COMPONENTS



CLAMP TRAK™

Turn your workbench into a clamping station. Includes one 857 mm aluminium extrusion. Compatible with Kreg® Bench Clamps™

ITEM # KR-KKS1020
*hardware not included



CLAMP BLOCK SET

Register your workpieces for quick and easy squaring. Especially useful to make face frames. Durable impact-resistant plastic. Includes 5 plastic blocks and hardware.

ITEM # KR-KKS1030

NOTE: See bench clamps on pages 26 and 27.

PRECISION ROUTER TABLE SYSTEM

The Kreg® Precision Router Table System combines unmatched versatility with incredible adjustability and ease of setup to take your woodworking projects to the next level. This powerful system offers a one-of-a-kind T-square style fence, a large, durable table top, and a sturdy steel stand that work together to create a router table that meets all of your precision routing needs.

Our exclusive Easy-Slide™ surface, Precision Insert Plate with Level-Loc Reducing Rings and uniquely designed accessories ensure that you get the best possible routing experience on each and every pass.



ITEM # KR-PRS1045

SYSTEM INCLUDES

- Multipurpose, Self-Squaring Router Table Fence System
- High-Performance Table Top with Precision Insert Plate System Heavy-Duty, Adjustable Steel Stand Fence Micro-Adjuster

MAKE IT MOBILE



ITEM # KR-PRS3090

Heavy-Duty Casters

Add mobility to your Multi-Purpose Shop Stand. Includes four heavy-duty casters. Dual-locking mechanism protects against caster roll and pivot. Weight capacity is 68 kg each. Includes all necessary hardware.




TABLE SAW FUNDAMENTALS

Table saw-style T-square adjustment system ensures the fence will always stay parallel to the mitre-gauge slot. The fence adjusts easily and locks firmly in place with dual locks.



UNPARALLELED PRECISION

Magnified measuring system with an adjustable scale allows accurate setup with any bit. Included Micro-Adjuster allows you to dial in precision measurements exactly.




BUILT-IN JOINTING FEATURE

Fully-independent fence faces quickly turn your portable router table into a vertical jointer. Depth rods are stored on the fence and can be positioned behind the faces, allowing for jointing depth adjustments of 1.6 mm and 0.80 mm.




INDEPENDENT ADJUSTABLE FACES

Sliding fence faces can be positioned exactly where needed to provide workpiece support close to the bit, and to maximize chip collection into the fence's built-in dust port.




LOW-FRICTION EASY-SLIDE™ SURFACE

Durable, high-pressure laminate surface offers a low-friction Easy-Slide™ surface. Thick edgebanding protects the top against bumps and abrasions. Top has predrilled holes for mounting Precision Insert Plate Levelers.




PRECISION COMBINED WITH DURABILITY

Four Precision Insert Plate Levelers allow you to set the plate flush for smooth, accurate routing. Steel reinforcing struts keep the 25 mm-thick MDF table flat, even under the weight of heavy routers and lifts.



VERSATILE COMBINATION TRAK

The anodised-aluminium Combination Trak works with standard 9.5 x 19 mm mitre gauge guide bars, and it accepts featherboards and other accessories. The T-track offers another way to mount jigs and fixtures for custom routing setups.



FEATURE-PACKED INSERT PLATE

The heavy-duty 9.5 x 235 x 298 mm compression-moulded insert plate handles large routers with ease. Level-Loc Reducing Rings lock in level and flush with the plate surface using the included ring wrench. A starter pin ensures controlled bit contact during freehand routing.

SPECS

PLATE OPENING DIMENSIONS	TABLE SURFACE	FENCE LENGTH	FENCE MATERIAL	OVERALL DIMENSION	WEIGHT	MULTI-PURPOSE SHOP STAND
9.5 x 235 x 298 mm	609 x 813 mm with a 25 mm-thick core	914 mm	Heavy-duty anodised aluminium	927 H x 952 W x 648 mm D	39 kg	<ul style="list-style-type: none"> • Heavy 12- & 16-gauge steel construction • Adjustable height: 787 to 990 mm • 4 stable leveling feet • Durable powder-coated finish • Fast and easy assembly

BUYING OPTIONS



ITEM # KR-PRS1045

PRECISION ROUTER TABLE SYSTEM

This powerful system offers a large, durable table top, a one-of-a-kind T-square style fence, and a durable steel stand that work together to create a router table that meets all of your precision-routing needs. Includes Item #s KR-PRS1025, KR-PRS1015, and KR-KRS1035.



ITEM # KR-PRS1025

PRECISION ROUTER TABLE TOP

This 609 x 813 mm table top has a 25 mm-thick MDF core that absorbs vibration and offers mass to help create a stable router table. A tough Easy-Slide™ surface helps workpieces glide easily. Steel-reinforcing struts ensure that the table will stay flat.



ITEM # KR-KRS1035

MULTI-PURPOSE SHOP STAND

This stand makes the perfect foundation for the Clamp Table™ and the Precision Router Table Top, and is great to create a custom shop stand. Includes four leveling feet and assembly hardware. 508 x 711 mm footprint, 787 to 990 mm adjustable height.



ITEM # KR-PRS1015

PRECISION ROUTER TABLE FENCE

This anodised-aluminium fence features a T-Square adjustment system that ensures the fence stays parallel to the mitre-gauge slot. The fence adjusts easily and locks firmly in place with dual locks: a large paddle lock on the infeed end, and a quarter-turn lock on the outfeed end that prevents fence deflection.

PRECISION BENCHTOP ROUTER TABLE

The Precision Benchtop Router Table offers features that give it the capability of a full-size, industrial router table in a portable package.

The top is made from an edgebanded, vibration- and noise-resistant MDF, and features an Easy-Slide™ surface. The skin is constructed from a custom-textured laminate, which allows you to easily slide workpieces across the table.

The Precision Router Table Insert Plate measures 9.5 x 235 x 298 mm to support even the biggest routers, and it features Level-Loc Reducing Rings. These rings twist into place and lock in flush with the plate surface.

The heavy-duty aluminium fence features quarter-turn locking levers. They allow quick fence adjustment and confident locking, plus they are sized so they're easy to use but stay out of the way behind the fence. The fence also has independent sliding faces that provide increased workpiece support around the bit, and allow the table to be used as a vertical jointer.

ITEM # KR-PRS2100



Lightweight yet durable, compact yet feature-packed, this router table is perfect for anyone who needs a router table on the jobsite or for anyone who wants all the features of a full-sized router table in a portable package.

SPECS

INSERT PLATE DIMENSIONS	TABLE SURFACE	FENCE LENGTH	FENCE MATERIAL	OVERALL DIMENSION	WEIGHT
9.5 x 235 x 298 mm	609 x 813 mm with a 25 mm-thick core	914 mm	Heavy-duty anodised aluminium	927 H x 952 W x 648 D mm	39 kg



EASY-SLIDE™ ROUTER TABLE TOP

This router's tabletop features the same Easy-Slide™ skin, made from the same impact-resistant, high-pressure laminate that is used on our full-size router table. This skin allows workpieces to glide across the table's surface easily.



BUILT-IN JOINTER

Fully-independent fence faces and depth-setting rods quickly turn your portable router table into a vertical jointer. Depth rods are stored on the fence and can be positioned behind the faces, allowing for jointing depth adjustments of 1.6 mm and 0.80 mm.



FULL-SIZE LEVEL-LOC INSERT PLATE & LEVELERS

This full-size insert plate is the same compression-moulded plate used in the large Kreg® router table,

which means you never have to compromise on functions or features. The plate is equipped with Level-Loc Reducing Rings that simply twist into place and lock in level and flush with the plate surface every time. Three rings are included: 25 mm, 30 mm (for use with universal-style guide bushings), and 67 mm. The plate is mounted using Kreg® Precision Insert Plate Levelers, making it easy to set the plate exactly flush with the table surface.

PRECISION ROUTER LIFT

The Precision Router Lift elevates your routing capabilities by providing precise control when making router setup changes or changing bits. The lift replaces the standard insert plate in a router table (the 9.5 x 235 x 298 mm plate fits all Kreg® router tables) and accepts fixed base routers only and many router power units – without the need for adapters or modifications – in a high-performance carriage that you raise and lower from above the table.

With the Precision Router Lift, there's no more reaching under the table to make adjustments or change bits, plus vastly improved control over all adjustments. Simply use the lift's included crank to adjust the height of your router bit easily and precisely from above the table. This makes adjustment fast, simple, and accurate so you can set up your router faster, and then dial in the exact bit height you require using the Precision Router Lift's built-in micro-adjustment scale. The lift also simplifies changing bits by allowing you to do that from above the table.

Precision is more than part of the name with this lift, too. The Precision Router Lift is designed so that every full revolution of the adjusting crank moves the carriage – and your bit – exactly 1.6 mm, though adjustments down to thousandths of an inch are possible. A built-in micro-adjust scale can be zeroed out at any point to establish your baseline bit setup, so you can make exact bit height changes, and readjust to the exact same setting confidently every time for repeatable cuts.

ELEVATE YOUR ROUTING CAPABILITIES



Take complete control of your table-mounted router to make accurate, repeatable, reliable adjustments plus above-table bit changes. The Precision Router Lift provides the high-quality results you need to shape raw wood into refined project parts.

FEATURES



OVERSIZE

Throat opening accepts Level-Loc reducing rings. (3 rings included).



PRECISE

Measurement dial for easy height change down to the thousandth of an inch.



SECURE

The router carriage can hold many popular routers without the need for adapters.



POSITIVE

Locking mechanism holds your bit setting exactly to ensure repeatable results.



SPECS

- Bearing-guided carriage
- Hard-anodised aluminium plate
- Above-Table collet access
- Precision adjustment
- Accepts fixed base routers only and many router power units*
- Fits all Kreg router tables, and many other brands

* Not suitable for plunge routers.

INCLUDES

- | | |
|------------------------------|----------------------------------|
| (1) Router Lift | (1) Ring Wrench |
| (1) Adjustment Crank | (1) Stainless Steel Starting Pin |
| (3) Level-Loc Reducing Rings | (1) Owner's Manual |

ROUTING ACCESSORIES

PRECISION ROUTER TABLE INSERT PLATE

Equip your router table with an insert plate that offers the features and durability you demand. The Precision Router Table Insert Plate is made from compression-moulded phenolic, which is 30% stronger, and 20% more rigid than standard phenolic, meaning it starts out flat and stays flat, even when used with a large, heavy router.

The plate is equipped with Level-Loc Reducing Rings that simply twist into place using an included ring wrench to lock in level and flush to easily change the size of the opening around the router bit. Three Level-Loc Rings: 25 mm, 30 mm for use with universal-style guide bushings, and 67 mm rings are included.




LEVEL-LOC REDUCING RINGS

Change the size of the opening around your bit easily using these rings that simply twist into place and lock-in level and flush with the plate surface every time. Includes three rings: 25 mm, 30 mm (for use with universal-style guide bushings), and 67 mm.



MOULDED-IN ALIGNMENT MARKS

The undrilled Insert Plate comes without pre-drilled holes, unlike so-called "universal" plates. Instead, it has moulded alignment marks on the underside that make it extremely easy to centre and mount your router.



REMOVABLE STARTING PIN

This removable starting pin gives you the safety and control you need while routing freehand—without a fence to guide the workpiece past the bit—by providing a surface to rest your workpiece against before you pivot the workpiece against the bit.



WORKS WITH MOST ROUTERS

This 9.5 x 235 x 298 mm plate is designed to easily accept most routers, and is built tough to resist sagging with even the largest, heaviest routers.

THE PRECISION ROUTER TABLE INSERT PLATE IS AVAILABLE IN THREE STYLES:

ITEM # KR-PRS4034

Insert Plate predrilled to match the hole pattern of the Triton MOF001 and TRA001. (Also fits the Porter-Cable 7500 series by enlarging the mounting holes.)

Includes: Precision Router Table Insert Plate, three Level-Loc Reducing Rings, ring wrench, starting pin, and router mounting screws.

ITEM # KR-PRS4036

Insert Plate predrilled to match the Porter-Cable 690 and 890, as well as the Bosch 1617.

Includes: Precision Router Table Insert Plate, three Level-Loc Reducing Rings, ring wrench, starting pin, and router mounting screws.

ITEM # KR-PRS4038

Insert Plate without predrilled holes. Has shallow "starter holes" moulded into the underside for popular router patterns, as well as a moulded centring pattern.

Includes: Precision Router Table Insert Plate, three Level-Loc Reducing Rings, ring wrench, starting pin, and router mounting screws.

PRECISION ROUTER TABLE STOP

Bring greater accuracy and repeatability to your Precision Router Table with this uniquely designed stop. Features a low-profile, aluminium design, made to flip out of the way when not in use. The included Precision Lens Cursor gives you a clear and accurate view of the fence's tape.




ITEM# KR-PRS7850



Compatible with Kreg® Precision Router Table and Precision Benchtop Router Table.



Design allows the stop to flip out of the way when not in use.




Get extra precision and unmatched repeatability for stopped dados & tenons.

LEVEL-LOC REDUCING RINGS 5-PC SET

This five-piece set of Level-Loc Reducing Rings fits the Precision Router Table Insert Plate (see page 38), allowing you to customise the size of the opening around the bit.

ITEM # KR-PRS3050



Includes rings with 19, 35, 41 and 54 mm openings, plus one "blank" ring.



Works with the Kreg® Precision Router Table Insert Plate

PRECISION ROUTER TABLE SETUP BARS

These innovative setup bars feature three unique ways to ensure your projects get the precision they truly deserve. This set includes seven setup bars stored in a portable protective case. Sizes: 3.2, 4.8, 6.4, 7.9, 9.5, 11.1 and 12.7 mm.



ITEM # KR-PRS3400



Concave step on the bottom of each setup bar straddles router bit or saw blade for precise height adjustment.



Step on the end of each setup bar precisely sets fence offset distances on the router table or table saw.

TRUE-FLEX™ FEATHERBOARD

The True-FLEX™ Featherboard gets its name from the careful engineering that went into its design. Many featherboards on the market today apply too much pressure or not enough pressure to the workpiece, which results in imperfect cuts and less-than-safe operation.

The True-FLEX™ Featherboard provides a consistent and optimum pressure, and will stand up to years of heavy use in your woodshop. The Featherboard is made from an extremely durable plastic composite body and includes a Wedge-Lock™ System that allows the Featherboard to be secured to a variety of shop tools without the need for additional hardware.

Whether you're using a mitre slot or a T-slot, working on a table saw or a router table, the Wedge-Lock™ System adjusts accordingly and lets you work with confidence. Designed for use in standard 9.5 x 19 mm mitre slot.



ITEM # KR-PRS3010

TRUE-FLEX™ FEATHERBOARD

Single Featherboard. Comes with Wedge-Lock hardware that works in T-slots or mitre slots on table saws, router tables, and band saws.



ITEM # KR-PRS3020

TRUE-FLEX™ FEATHERBOARD TWIN PACK

Comes with an extended version of the Wedge-Lock hardware, perfect for stacking. When used together, they provide additional support for tall workpieces, resulting in higher-quality cuts.



True-FLEX™ fingers apply optimum pressure to your workpiece. Unique wedge-lock hardware works in 9.5 x 19 mm mitre slots on tablesaws, router tables, and band saws.



Wedge-lock hardware allows the featherboards to be separated and used in two ways: mitre slot or T-slot.

PRECISION ROUTER TABLE INSERT PLATE LEVELERS

These levelers are the easiest way to add an insert plate to a shop-built router table. They eliminate the need for a supporting rabbet and feature a unique bottom-mount design that includes eight adjustable contact points, four-corner lock-downs for stability, and locating tabs for easy installation.



ITEM # KR-PRS3040



Plate Levelers mount easily to the underside of the table. Eliminates the need for a rabbeted opening.



Two adjustable set screws on each Leveler make it easy to set the router plate flush with the table surface.

DECK JIG™

ITEM # KR-KJDECKSYS20

With the Kreg® Deck Jig™ and a few simple tools you already own, you can create a beautiful, functional deck surface that is completely free of exposed fasteners and painful splinters. Concealed-decking systems utilise awkward steel fasteners or thin plastic clips to hold your deck boards in place. The Deck Jig™ utilises a more straightforward approach, creating an incredibly strong wood-to-wood bond through precisely-placed self-tapping screws.



DECK JIG & SPACERS
LIFETIME WARRANTY

INCLUDES

- (1) Deck Jig™
- (1) 6" (152 mm) Deck Jig™ Drill Bit
- (1) 6" (152 mm) KTX Square-Drive Bit
- (3) 1/4" (6 mm) Deck Jig Spacer Rings
- (2) Stop Collars
- (1) Hex Wrench

SPECS

- Spacers set distance between deck boards for consistent spacing
- Standard deck screws work with 4/4 to 5/4 (19 to 32 mm) stock
- 67 mm deck screws required for use with 2x material, including 4x2s, 6x2s, 8x2s, etc.



FUNCTIONAL

An oversized, ergonomic, easy-grip handle gives you a secure hold and complete control over each and every hole you drill.



PRECISE

Three hardened-steel Kreg® drill guides keep the specialised stepped drill bit and driver bit at the precise, optimal angle.



ACCURATE

Three 6 mm handy spacer rings ensure accurate deck board spacing for proper drainage and a longer deck life.

ACCESSORIES

DECK JIG™ DRILL BIT / DRIVER BIT



The Deck Jig™ drill bit and driver bit both feature hardened-steel construction and Quick-Change compatible hex shanks. Both bits are designed to work exclusively with the Kreg Deck Jig™ and come complete with a stop collar and hex wrench to help control your plunge depth.

ITEM # KR-KJDDECKBIT & KR-DECKDRIVER

DECK JIG™ SPACER RINGS



Ensure consistent spacing between deck boards as you drive the screws. Rings feature a large handle for quick, easy placement. Works with the Kreg Deck Jig™. Available in 6 mm. Set of 12.

ITEM # KR-DJS-RED

CABINET HARDWARE JIG

Whether you're installing one new knob or dozens of drawer pulls, the Cabinet Hardware Jig takes the guesswork out of the process, ensuring accuracy and consistency every time. A movable edge guide and built-in measuring scales (with imperial and metric markings) make it easy to position knobs precisely.

Plus, the Cabinet Hardware Jig features movable, hardened-steel drill guides that lock in place to align with common hole-spacing measurements for cabinet knobs and pulls. The guides make it simple to drill straight, accurately positioned holes. The jig works with almost any style of knob or pull, too, making it exceptionally versatile.



ITEM # KR-KHI-PULL

SPECS

- Drill guides: two movable $\frac{3}{16}$ " guides with locking nuts
- Hardened-Steel Drill Guides
- Drill guide spacing: Centred, 2 $\frac{1}{2}$ ", 3", 3 $\frac{1}{2}$ ", 4", 4 $\frac{1}{2}$ ", 5", 64 mm, 96 mm, 128 mm
- 1" to 5" (25 -127 mm) edge guide to hole centre spacing
- Imperial and metric measuring scales

INCLUDES

- (1) Jig Base
- (1) Edge Guide
- (2) Drill Guides with Knurled Nuts
- (2) Non-Slip Pads
- (2) T-knobs and Bolts
- (1) Owner's Manual

NOTE: $\frac{3}{16}$ " (4.5 mm) drill bit required. Not Included.



EASY

Easily set the jig to locate knobs or pulls exactly where desired.



ACCURATE

Drill straight mounting holes accurately using built-in hardened-steel drill guides that keep the bit straight.



REPEATABLE

Confidently mount hardware after drilling the holes, knowing that it will fit correctly every single time.



CONCEALED HINGE JIG

The Concealed Hinge Jig takes the guesswork out of installing cabinet doors using concealed hinges. With this easy-to-use jig, you get drill-press accuracy using an ordinary hand drill. The jig ensures accurate hinge alignment for doors that fit perfect and work well. Plus, the Concealed Hinge Jig comes with a high-quality carbide-tipped bit with a built-in stop collar that ensures smooth, clean holes that are always drilled to the perfect depth.

The Concealed Hinge Jig consists of a glass-filled nylon base with a hole that receives a drill guide. Indexing cams ensure that the jig positions the bit to drill a hole at the required offset—which is dictated by each hinge—and an included stop collar ensures that the cup depth is correct every time. A pair of smaller holes also allow drilling perfectly-positioned holes for the hinge mounting screws, ensuring that the hinge will fit accurately every time.



ITEM # KR-KHI-HINGE

INCLUDES

- (1) Jig Base with Index Cams
- (1) Drill Guide
- (1) 35 mm Carbide-Tipped Drill Bit
- (1) Stop Collar with Hex Wrench
- (1) Owner's Manual

NOTE: 1/16" (1.5 mm) drill bit required for hinge-mounting screws not Included.

SPECS

- Compatible with 35 mm cup-style concealed hinges
- Works with 3 mm, 4 mm, 5 mm, 6 mm hinge offsets
- Four-cutter, carbide-tipped drill bit with stop collar
- 50 mm to unlimited hinge offset from door end



EASY

Use the cams and measuring scale to easily set the jig to position the hinge cup precisely, and then drill a hole precisely using any drill.



ACCURATE

Drill holes for the hinge mounting screws, as well, using guide holes in the jig to ensure accurate results.



REPEATABLE

Confidently install hinges that fit perfectly every single time for doors that fit right and look great.

ACCESSORIES

35 MM CONCEALED HINGE BIT:

This high-quality carbide-tipped drill bit is the same one that comes with the Concealed Hinge Jig. It features four carbide cutters: two large cutters that create a smooth, flat-bottomed hole, plus two spur cutters that shear the hole sides cleanly for a straight, smooth hinge cup. Stop collar not included.



ITEM # KR-KHI-BIT



DRAWER SLIDE JIG

Whether you're updating cabinets or you're building a project from scratch, mounting drawers is always a challenge. The Drawer Slide Jig takes the guesswork out of installing drawer slides, ensuring drawers that fit perfectly and slide smoothly. The Drawer Slide Jig works with slides of all kinds—ball-bearing, epoxy-coated, and undermount—and can be used in face-frame and frameless cabinets.

This easy-to-use jig has two brackets that hold slides in position as you drill mounting holes in the cabinet. Built-in tabs make the brackets easy to align on cabinets with face frames, or with your designated marks on frameless cabinets. Of course, mounting slides inside the cabinet is only half the battle. That's why the Drawer Slide Jig brackets are reversible, as well, to support drawer boxes while mounting slides to the drawer.



ITEM # KR-KHI-SLIDE

INCLUDES

- (2) Brackets with Adjustment Tabs
- (1) Owner's Manual

SPECS

- Dual-position Indexing Tabs
- Works with face-frame and frameless cabinets 356 mm deep
- Works with ball-bearing, epoxy-coated, and undermount slides



ACCURATE

Tabs register the jig to the cabinet side and frame for foolproof positioning.



ADAPTABLE

Works with face-frame cabinets, cabinets without frames, and on cases of other types, such as chests and dressers.



VERSATILE

Also supports the drawer box during installation to make the process easy.



SHELF PIN JIG

Whether you're adding shelf pin holes to an existing piece of furniture or you're building shelves from scratch, the Shelf Pin Jig is the perfect tool for the job. Unlike other shelf pin guides, the Shelf Pin Jig features hardened-steel drill guides that ensure precise and straight drilling, so you'll get level, wobble-free shelves.

The Shelf Pin Jig also includes a removable, dual-position fence that can be used to position holes either 25 or 50 mm from the edge, a locating pin that provides accurate spacing when you move the jig, and a jig extender that lets you connect multiple Shelf Pin Jigs together for high-speed production work. Supplied with a 5 mm brad-point bit, and a depth collar that can be stored on the bottom side of the Shelf Pin Jig when not in use.



ITEM # KR-KMA3220
Shelf Pin Jig with 5 mm bit

DRILL GUIDE
LIFETIME
WARRANTY

SPECS

- Dual-Position Fence, adjustable for 25 or 50 mm offset
- 32 mm hole spacing

INCLUDES

- (1) Shelf Pin Jig
- (1) Locating Pin
- (1) Jig Extender
- (1) Drill Bit & Stop Collar
- (1) Hex Wrench
- (4) Sample Shelf Pins
- (1) Owner's Manual



DURABLE

Hardened-steel drill guides ensure precise drilling. Accepts our 5 mm brad-point bits.



EASY

A built-in fence aligns with the edge of the workpiece to set the proper offset between the edge and the holes. The fence is removable for working inside a case.



REPEATABLE

A locating pin lets you confidently move the jig and reference last hole drilled.



EXPANDABLE

An included jig extender can be used to connect two or more jigs together.

ACCESSORIES

ADDITIONAL DRILL BIT


The 5 mm bit features stepped design that allows it to fit precisely inside the Shelf Pin Jig's drill guides. Includes stop collar and hex wrench.



ITEM # KR-KMA3215

MULTI-MARK™

The Multi-Mark™ is an incredibly handy multipurpose marking and measuring tool, perfect for a wide variety of household and job-site applications. The Multi-Mark™ features three scale configurations, a built-in level, a 5 mm reveal gauge, and much more. Whether you need to transfer a measurement, lay out mitred corners, or align and straighten picture frames, the Multi-Mark is the only tool you'll need to get the job done. Has imperial and metric markings.



Shown in 3 configurations

ITEM # KR-KMA2900

HUNDREDS OF USES

The Multi-Mark™ doesn't know the meaning of the term 'single-purpose.'



Lay out mitred corners



Set 5 mm reveals



Transfer measurements



Align / square your projects



Set bit / blade heights



Level your work

SPECS

- Three measuring scales
- Imperial and metric scale
- Built-in torpedo level
- 5 mm reveal gauge
- Durable, compact design

MEASURING TAPES

IMPERIAL 12' SELF-ADHESIVE TAPE (3658 mm)

This 1/2" (13 mm) wide, self-adhesive measuring tape fits snugly into the recess on the top edge of our Top Trak and Heavy-Duty Trak. Metallic tape is highly scuff-resistant and can be trimmed to length with scissors.

METRIC 3.5-METRE SELF-ADHESIVE TAPE (3500 mm)

Metric 3.5 metre (3500 mm) tape is self-adhesive and fits snugly into the recess on the top edge of our Top Trak and Heavy-Duty Trak. Metallic tape is highly scuff-resistant and can be trimmed to length with scissors.



ITEM # KR-KMS7723 Tape (12' R/L reading) (3658 mm)

ITEM # KR-KMS7724 Tape (12' L/R reading) (3658 mm)



ITEM # KR-KMS7728 Tape (3.5 metre R/L reading) (3500 mm)

ITEM # KR-KMS7729 Tape (3.5 metre L/R reading) (3500 mm)

TRACK HORSE

The Track Horse makes it easy to set up a sturdy work support anywhere to make any place your workspace. The Track Horse offers an array of features that give it capabilities beyond an ordinary sawhorse.

Steel and aluminium construction makes the Track Horse sturdy, and gives it a capacity of 997 kg per pair, so it can handle large, heavy projects and materials with ease. Dual-mode clamping (with an included Kreg Bench Clamp) makes it easy to secure those items on the Track Horse—by holding them down on the long track on top, or using keyhole brackets on the ends for vise-style clamping.

The track also accepts a sacrificial surface, which allows cutting without damaging the Track Horse or saw. When more cutting space is needed, just pair with another Track Horse or the Mobile Project Center to create a large cutting platform. Or set up an extra-large work table just as easily.

Adjustable legs feature six working heights to match any task. The legs also fold completely away, which allows the Track Horse to function as a ground-level work platform, and to store compactly away.

Track Horse can be adjusted to the following working heights: 168 mm (*ground-level with legs folded), 626 mm, 804 mm (matches height of Kreg Mobile Project Center), 829 mm, 855 mm, 880 mm, 906 mm.



SPECS

- Works alone, paired, or with the Mobile Project Center
- Made of heavy-gauge steel
- Adjustable legs offer six working heights
- Aluminium track accepts Kreg Bench Clamps

INCLUDES

- (1) Track Horse
- (1) Kreg 76 mm Bench Clamp
- (2) Support Brackets
- (2) Track Bushings with screws
- (1) Owner's Manual



DUAL-MODE CLAMPING

The Kreg Track Horse utilizes hold-down clamping on the track, as well as vice style clamping at both ends using the included 76 mm Bench Clamp.

FEATURES



EXPANDABLE

Pair with another Track Horse or a Mobile Project Center to make a large work surface.



VERSATILE

Works as a sawhorse, a clamping station, and work support all in one.



STURDY

Made from heavy-duty steel and aluminium. Supports up to one tonne as a pair.



ADJUSTABLE

Telescoping legs provide six working heights. Folds into a ground-level work platform.

MOBILE PROJECT CENTER

The Mobile Project Center gives you the freedom to work on projects wherever, whenever, and however you want. The Mobile Project Center sets up in no time, and can be used in multiple ways—as a workbench, a sawhorse, an assembly table, and a clamping station. Plus, the Mobile Project Center is a perfect companion for Kreg Joinery.™ When not in use, the Mobile Project Center stows away quickly and stores flat.

Whether you work in the garage, out on the driveway or patio, or in a workshop, the Mobile Project Center is ready for whatever tasks you can throw at it. If you need more work space, you can pair up two Mobile Project Centers by attaching them together with the included connection keys.



ITEM # KR-KWS1000


- ✓ **Workbench**
- ✓ **Assembly Table**
- ✓ **Sawhorse**
- ✓ **Clamping Station**

HEAVY-GAUGE STEEL LEGS	STURDY TABLE BRACES	LOAD CAPACITY 159 KG	VERSATILE EXPANDABLE DESIGN
-----------------------------------	------------------------------------	---------------------------------	--

FEATURES



Organised storage trays hold hardware and small parts.



Hole pattern in top accepts included Bench Dogs and other accessories.



Included Trak™ bushings easily slide into the Trak to secure a 4x2 board and protect the Trak while cutting.



Clamp two ways: horizontally and vertically. Automaxx® technology adjusts clamp automatically so you can work faster.



Use the Bench Clamp like a vise to hold objects vertically as you work.

THE MOBILE PROJECT CENTER HELPS MAKE THE MOST OF THE TIME YOU HAVE

When you've carved out some time in your schedule to work on projects, you want to make the time as productive as possible. The last thing you want is to spend half your time setting up and tearing down. The Mobile Project Center sets up in no time by simply opening the legs and lifting the tables up, so you can get to the tasks at hand. Then it folds down for storage just as fast. That means you can quickly set up anywhere you need to, and get to work. Plus, the Mobile Project Center makes your time more productive by helping to support, hold, and organise your project and your tools while you work.

WORK MODES



WORKBENCH

Use 2x4s and plywood to create an extra-large bench surface. *Requires additional Mobile Project Center or Track Horse



SAWHORSE

Fold the tables down to create a sturdy sawhorse.



ASSEMBLY TABLE

Support projects on the large work tables during assembly.



CLAMPING STATION

Clamp workpieces in multiple, easy ways so you have both hands free.

WORK ON PROJECTS WHEREVER, WHENEVER, AND HOWEVER YOU NEED TO



Perfect for every project. Offers multiple work modes for amazing versatility.



Increases comfort while working. Raises work to a convenient height and allows access from all sides.



There when you need it... Unfolds easily to get you set up and working in no time.



... Out of the way when you don't! Folds flat for easy carrying and compact storage.

SPECS

- Large 700 x 800 mm work surface
- Durable polypropylene tables withstand rugged use
- Locking table supports with easy-release tabs
- 158 kg load capacity when used alone with tables raised
- Up to 1 tonne load when paired and used with tables lowered
- Comfortable 800 mm table height
- 450 x 660 mm) storage shelf
- Large, non-slip feet for stable footing
- Folds to just 165 mm thick
- Weighs 18 kg
- Expandable by pairing with a second Mobile Project Center or with a Kreg® Track Horse (page 47)

INCLUDES

- (1) Mobile Project Center
- (1) Bench Clamp with Automaxx® Technology

- (4) Kreg® Bench Dogs
- (2) Support Brackets
- (2) Trak Bushings
- (2) Connection Keys

INCLUDED ACCESSORIES



KREG® BENCH CLAMP + 4 BENCH DOGS

UNIVERSAL BENCH

Get organised and create great work space with the Kreg® Universal Bench. You can easily create a workbench, assembly table, tool stand, or outfeed table in a custom size to fit your space, your projects, and your needs. Just choose your height, width, and depth to create a custom workbench in one of 15 sizes — from 355 x 355 mm up to 1600 x 1600 mm — and two adjustable heights. Bench legs come with a code to access free, downloadable under-bench storage plans.



*Image shown with optional casters (available separately) and with custom user-built bench top and shelf

SPECS

LEGS

- Sold in sets of 4
- 12-gauge steel
- Adjustable height (438 to 584 mm or 787 to 990 mm)
- Includes leveling feet and assembly hardware

RAILS

- Sold in sets of 4
- 16-gauge steel
- Five lengths:
355 mm,
508 mm,
711 mm,
1100 mm,
1600 mm

WEIGHT CAPACITY

- 272 kg


TOP/SHELF

- Supplied by user



HIGH-QUALITY HARDWARE

Zinc-coated carriage bolts lock into square holes for easy one-wrench assembly. They ensure that the bench remains rock-solid during use.



ADJUSTABLE LEG LEVELERS & FEET

Legs offer 152 mm of unlimited height adjustment so you can match the height of your table saw or another bench. Leg levelers accommodate uneven floors.



PRE-DRILLED HOLES

Holes allow you to drop the upper rail down to add a storage shelf, drawers, create clearance for a vise, or add other custom touches to your bench.



STURDY LEGS

Legs are made from heavy 12-gauge steel and are available in two adjustable heights: 438 to 584 mm or 787 to 990 mm



5 DIFFERENT RAIL LENGTHS

Now you can create the professional-quality bench you've always wanted for your garage or workshop, and customise it to the tasks you choose.



CUSTOMISE TO FIT YOUR NEEDS

Add a top, shelf, and other touches to complete your bench using your materials. A code to access downloadable storage plans comes with the legs.

CHOOSE THE LEG HEIGHT

Universal Bench legs are available in two heights. Both are adjustable.

- Standard-Height Legs are adjustable from 787 to 990 mm
- Low-Height Legs are adjustable from 438 to 584 mm

CHOOSE THE RAIL LENGTHS

Universal Bench Rails are available in 355, 508, 711, 1100, and 1600 mm.

Choose one set of rails (four included) to establish the bench width you want.

Choose another set to establish the bench depth.



BUYING OPTIONS

- # KR-KBS500 (4) 438 mm to 584 mm Legs
- # KR-KBS1000 (4) 787 mm to 990 mm Legs
- # KR-KBS1005 (4) 355 mm Rails
- # KR-KBS1010 (4) 508 mm Rails
- # KR-KBS1015 (4) 711 mm Rails
- # KR-KBS1020 (4) 1100 mm Rails
- # KR-KBS1025 (4) 1600 mm Rails

MAKE IT MOBILE



ITEM # KR-PRS3090

Heavy-Duty Casters

Add mobility to your Multi-Purpose Shop Stand. Includes four heavy-duty casters. Dual-locking mechanism protects against caster roll and pivot. Weight capacity is 68 kg each. Includes all necessary hardware.

CHOOSE YOUR
HEIGHT

CHOOSE YOUR
WIDTH

CHOOSE YOUR
DEPTH

28" x 28"
71.12 cm x 71.12 cm

14" x 14"
35.56 cm x 35.56 cm

14" x 20"
35.56 cm x 50.80 cm

14" x 28"
35.56 cm x 71.12 cm

14" x 44"
35.56 cm x 111.76 cm

14" x 64"
35.56 cm x 162.56 cm

20" x 20"
50.80 cm x 50.80 cm

20" x 28"
50.80 cm x 71.12 cm

20" x 44"
50.80 cm x 111.76 cm

20" x 64"
50.80 cm x 162.56 cm

28" x 64"
71.12 cm x 162.56 cm

28" x 44"
71.12 cm x 111.76 cm

44" x 64"
111.76 cm x 162.56 cm

44" x 44"
111.76 cm x 111.76 cm

64" x 64"
162.56 cm x 162.56 cm

Many preconfigured kits also available.



1300 767 366



e.info@maxis.com.au



kregtool.com.au



[instagram.com/kregaustralia](https://www.instagram.com/kregaustralia)



[facebook.com/KregAustralia](https://www.facebook.com/KregAustralia)